ONGUARD INDUSTRIAL SAFETY EYEWEAR



powered by **Hilco**°

Welcome to the 2014 OnGuard[®] safety eyewear program.

In the world of prescription safety eyewear, no brand offers more ways to protect a worker's vision than OnGuard. With more than 100 styles in 7 materials from which to choose, there's an optimum OnGuard prescription safety frame to fit every worker and every budget.

See what's new for 2014!

- Men's, women's and unisex styles with the look, treatments, and colors consumers want
- All styles feature our patented EZ Shield[™] permanent/removable side shield attachment system one shield does it all, and the locking mechanism is free
- · Stainless steel metals, hand-made laminate acetates, and metal/zyl combinations



Durable stainless steel!

Men & women's stainless steel frames.

function

Men, women & unisex hand-made acetate on-trend styles.

Striking hand-made acetates!

and fashion.

Women's fashion-forward stainless steel front with hand-made acetate temples.

Beautiful met/zyl styles!

Our #1 Seller!

The OG 220 Family

The biggest news in industrial safety frames - available in two sizes, vibrant women's colors, and a new full seal version!

- Smaller size specifically designed to fit smaller faces
- Attractive new women's color options
- Ultra-lightweight, metal-free frame construction
- Flex finger bridge conforms to any nasal profile
- Contemporary, sports styling with integrated side protection
- · Dust dam protector option

durable, removable indirect ventilation eye seal removable adjustable strap exceptional peripheral vision

comfortable flex finger bridge

OG 220FS - Full Seal, Non-Conductive

The newest member of the 220 family is the OG220FS



Table of Contents

OnGuard Collections
OnGuard Titanium Collection
OnGuard Premium Collection 8-11
OnGuard Deluxe Collection
OnGuard Value Collection
OnGuard Basic Collection
OnGuard Specialty Collection
OnGuard Quick Frame Reference Chart
OnGuard Side Shield Reference Chart
A-2 Collections
A-2 Quick Frame Reference Chart
A-2 Side Shield Reference Chart

Catalog Terms Reference Key

Side Shield Options

Removable

PERMAshield[™]





by the wearer Side shield that is slid into locked position for a

Side shield that can be attached and removed

permanent installation

Side shield that can be used as a removable shield or locked into position for a permanent installation

No Rivet

Temple & side shield manufactured as a complete unit for a permanent installation

Due to temple shape, contour, or size, side shields cannot be permanently attached by rivet

Key Features



Telescopic Temples

NON-CONDUCTIVE

Non-polarized SunClip lenses fit: OG 076, OG 077, OG 085, OG 86, OG 314

Polarized SunClip lenses fit: OG 099

Patented T-Wire design for superior lens retention. Used on: OG 317, OG 321, OG 322, OG 450, OG 451

One piece bridge /nose piece distributes the safety frame weight evenly over the nose. Used on: OG 019, OG 091

Temples expand for added comfort and fit. Used on: OG 250S

Plastic frames that contain no metal parts (OG 210, OG 220, OG 250S) or shielded metal parts (OG 130)



Titanium Collection

- Superior strength, slim profiles, light weight comfort.
- Hypoallergenic material increases wearer compatibility.
- Spring hinges/flex temples for long lasting adjustment and wear.



Side Shields

169PS

PERMA*shield*™


169EZ

EZ Shield"

Sizes

53-19-140

55-19-140








silver


- Spring hinges
- Nickel Free
- Material: 100% Titanium

ANSI Z87.1 CSA Z94.3
























Specialty Collection

- Features the OG220 Series our most versatile and best selling frame.
- Designed to cover needs in environments • ranging from every day wear to extreme working conditions.



ONGUARD 220

- Material: Nylon
- Specially designed to fit a range of sizes from petite women to larger men
- Attractive color options
- · Removable dust dam included
- Non-Conductive





pink



white

ANSI Z87.1 CSA Z94.3


ONGUARD 220FS

- Material: Nylon
- Removable full eye seal protects against dust and dirt in extreme conditions
- Indirect venting improves airflow and reduces fogging
- Non-Conductive



Sizes	Side Shields
58-15-135	Integrated





Integrated

Side Shields

Sizes 57-16-120

black



- Material: Polycarbonate
- Not for Rx use
- Protective carrying pouch
- Telescopic temples for custom fit
- Adjustable Velcro retention strap for secure fit (removable)

ANSI Z87.1 CSA Z94.3 ASTM F803









Material: Polycarbonate Not for Rx use ANSI Z87.1 CSA Z94.3 EN166




OnGuard® Quick Frame Reference Chart









Side Shield Reference Chart

SS = Removable shield GS= Grey removable shield PS= Permanent shield

Side Shield	OG Style Number	Side Shield	OG Style Number
109GS	016, 016C, 019	175SS	104
109SS	016, 016C, 019	176SS	105
112GS	060	178SS	108
112SS	060	179PS	109
115SS	043	179SS	109
116PS	016P	180SS	110
117SS	016P	180PS	110
124PS	056	182SS	083, 103, 112, 133
124SS	056	182PS	083, 103, 112, 133
131GS	065	183SS	113
13155	065	183PS	113
133SS	309	184SS	114
13455	310	184PS	114
141PS	076	185SS	115
14155	076	185PS	115
143PS	077	192SS	122 Shape A
143SS	077	192PS	122 Shape A
145SS	080	193SS	122 Shape B
14655	081	193PS	122 Shape B
150PS	085, 091	19655	124, 125
150SS	085, 091	196PS	124, 125
151GS	086	20255	130
151PS	086	20455	070P
151SS	086	204PS	070P
152SS	087	204EZ	070P
151PS	087	20555	071P
155PS	314	205PS	071P
155SS	314	205EZ	071P
15955	317	20955	135
161PS	090	21155	138
16155	090	21355	140
162PS	092	21455	141
16255	092	21655	143
163PS	093, 101	21755	144
16355	093, 101	21855	145
164PS	094	22455	151
164SS	094	180PS	110
165EZ	709FT	400EZ	400, 400A
165PS	095, 102	400EZ	401, 401A
16555	095, 102	401EZ	402
168PS	098	403EZ	403
16855	098	404EZ	404
169EZ	098	450EZ	450
169PS	099	451EZ	450
169SS	099		500
173PS	321	500EZ 502EZ	502
17385			
17355 174PS	321	503EZ	503
	322	505EZ	505
174SS	322	508EZ	508





A-2[®] frames feature the patented SprinGuard[™] lens retention system which secures lenses efficiently with less frame mass. A-2 eyewear is thinner and lighter yet, incredibly, it exceeds the ANSI Z87.1 2010 impact standard by a comfortable margin.

A-2 Frame Technology



Patented SprinGuard[™] flat posterior lens lip design provides superior lens retention with SprinGuard beveled lenses.



Patented EZ Shield™ rivetless side shields provide the ultimate in easy permanent attachment.



Exclusive SAFE-LOK™ locking system keeps lenses and temples tight for superior impact resistance.

Flex Titanium Collection

antiaue

aold

 Premium collection of energy-absorbing frames that hold adjustment, incredibly lightweight and corrosion resistant.

> Top collection seller SG 602FT


SG 600FT 🗛 😲

• Material: Titanium

ANSI Z87.1



• Material: Titanium






Sizes 50-20-135 53-20-140



SG 12







Superior collection of durable frames that are lightweight and corrosion resistant, featuring spring hinges.



Sizes 56-18-145 Side Shields

√\$G C104

EZ Shield'





gold tortoise

- Spring hinges
- Material: Titanium

ANSI Z87.1 CSA Z94.3













Safety Eyewear Accessories ... the complete safety eyewear solution!





FogBuster^m the anti-fog treatment that really works!

- Ideal for industrial safety and other eyewear
- Convenient, single use towelette system
- Prevents lens fogging for hours or days, depending on application
- Goes on clear, stays clear
- Available in 10, 30, and 60 count packaging

60 Count "Dump" Box Part No: 34/406/4999 (4 per case)

Eyewear Retainers

Eyewear Cases

PART No: 07/701/0000

C Hard shell case (XL)

PART No: 07/704/0000

PART No: 07/703/0000

PART No: 07/702/0000

PART No: 07/700/2000 Black Part No: 07/700/3000 Red

Safety cases designed to hold the largest safety frames . . .with side shields!

B Semi-soft case with velcro closure (XL)

E Soft case horizontal with belt loop (L)

F Semi-soft Croc case with velcro closure (XL)


A Soft case with clip and flap (XL)

PART No: 07/700/1000 Brown Part No: 07/700/0000 Black

with a safety release and a multi-functional end to fit any safety frame temple!

Gorilla Grips® black PART No: 08/760/1000

Dualies[®] black Part No: 08/750/1000





Lens Care



Towelette Dispenser Part No: 70 (10 per case)

Small Disposable Station Part No: 85 (10 per case)






Lens Marking Plier

The custom engraved stamp has 1/16" upper case block letters. The highly tapered convex nylon base protects the underside of the lens and allows a fit close to the eyewire. (Plier includes one stamp).


Lens Marking Plier PART No: 21/052/2550

A-2 Quick Frame Reference Chart





(bronze shown) Bronze 49-20-130 Tortoise 51-20-135 Burgundy






























































Side Shield Reference Chart

Side Shield	A2 Style Number
SG 1	101, 105, 115, 130, 131, 303, 404T, 407T
SG 2	102
SG 3	103, 104, 121, 402T, 405T
SG 6	106, 118, 122, 302, 403T
SG 7	107
SG 8	108
SG 10	110
SG 11	111
SG 12	600FT
SG 13	601FT
SG 14	602FT
SG 15	604FT
SG C101	300, 301
SG 110	110
SG 111	111
SG C104	400T, 401T
SG 2240	201
SG 406	406T
SG 501	200

LEADER[®]'S C2 RX SPORTS GOGGLE ... The ultimate game changer

Superior vision from sideline to sideline

Perfectly fit for every athlete

The look of a champion



Ask about our complete Leader® Vision Protection Program

Hilco is the only company providing affordable, turnkey solutions in every protective eyewear category -**Rx Sports, Rx Sun**, and **Rx WorkWear**. For a complete catalog, call our customer care team at (800) 955-6544.





Rx WorkWear

Distributed by:

Hilco® USA 33 West Bacon St, Plainville, MA USA 02762 Tel: (800) 955-6544 Fax: (508) 699-4579

Hilco* CANADA 3585 Ashby, St. Laurent, QC H4R 2K3 Tel: (800) 847-2001 Fax: (888) 641-0510

www.hilco.com

November, 2013 Reprint #020140001

